


# Z-3052 Handheld 2D Image Reader


## Standard Device



PIN-OUT CONFIGURATION			
RJ 2.	KB Data	RJ 1.	RTS_TTL
RJ 3.	PC Clock	RJ 4.	GND
RJ 4.	GND	RJ 5.	CTS_TTL
RJ 7.	KB Clock	RJ 6.	RX_TTL
RJ 8.	+5V	RJ 8.	+5V
RJ 9.	PC Data	RJ10.	TX_TTL

Model No.	Part No.	Barcode Symbology	TYPE	REMARK
Z-3052	883-520000-000		RS-232C	With Symbol 2D scan engine
Z-3052 (B)	883-520000-001		USB1.1	

## Standard Accessory



<b>Description</b>	Stand for Both Z-3050 & Z-3051 Series.	
<b>Color</b>	Grey	
<b>Item Part No.</b>	883-51HL00-000	

**Standard Cable Options**

**1. RS-232C Cable**

	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">PIN-OUT CONFIGURATION</th> </tr> <tr> <th>DB-9 (F)</th> <th>FUNCTION</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>TX</td> </tr> <tr> <td>3</td> <td>RX</td> </tr> <tr> <td>7</td> <td>CTS</td> </tr> <tr> <td>8</td> <td>RTS</td> </tr> <tr> <td>5</td> <td>GND</td> </tr> <tr> <td>9</td> <td>+5V Input</td> </tr> </tbody> </table>	PIN-OUT CONFIGURATION		DB-9 (F)	FUNCTION	2	TX	3	RX	7	CTS	8	RTS	5	GND	9	+5V Input
PIN-OUT CONFIGURATION																	
DB-9 (F)	FUNCTION																
2	TX																
3	RX																
7	CTS																
8	RTS																
5	GND																
9	+5V Input																
<p><b>Item Part No.:</b> 171-10R445-200</p>																	

**2. USB Cable**

<p><b>USB TYPE A</b></p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>USB TYPE A Connector</th> <th>Function</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>VCC</td> </tr> <tr> <td>2.</td> <td>D-</td> </tr> <tr> <td>3.</td> <td>D+</td> </tr> <tr> <td>4.</td> <td>VSS</td> </tr> </tbody> </table>	USB TYPE A Connector	Function	1.	VCC	2.	D-	3.	D+	4.	VSS
USB TYPE A Connector	Function										
1.	VCC										
2.	D-										
3.	D+										
4.	VSS										
<p><b>Item Part No.:</b> 171-14U305-200</p>											

**Optional Accessories**

Power Adapter



Part No.	Barcode Symbology	Plug	Output	Applicable Regions
11S-500050-001		UK Plug	5 VDC 1A	United Kingdom, Scotland
11S-500051-001		US Plug	5VDC 1A	North America, Japan, Taiwan
11S-500052-001		Australia Plug	5VDC 1A	Australia
11S-500053-001		European Plug	5VDC 1A	Europe, China, South East Asia, Middle East, South America